

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26410	219/216-469.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L2	259	100/92-301.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L3	2	"5822669".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L4	49	("5074019"   "5526103"   "5552582"   "5568240").PN. OR ("5822669").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/07 08:04
L5	17224	magnetic with flux with (reduction or varying or control or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L6	280	magnetic with flux with (reduction or varying or control or controller) and image with (heat or heating or heater)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L7	26946	L1 or L2 or L3 or L4 or L6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L8	0	(asakura and katakabe and fujimoto and imaj and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L9	0	(asakura and katakabe and fujimoto and imal and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L10	4	(asakura and katakabe and fujimoto and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L11	1	L7 and L10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L12	280	L5 and L6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L13	280	L5 and L6 and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04

L14	95	L13 and 219/619.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L15	49	L14 and (rotate or revolve or rotateable) and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L16	1	L15 and "flux reduction"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L17	4	L13 and "flux reduction"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L18	7	"09" with "171889"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L19	26410	219/216-469.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L20	259	100/92-301.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L21	2	"5822669".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L22	49	("5074019"   "5526103"   "5552582"   "5568240").PN. OR ("5822669").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/07 08:04
L23	17224	magnetic with flux with (reduction or varying or control or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L24	280	magnetic with flux with (reduction or varying or control or controller) and image with (heat or heating or heater)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L25	26946	L19 or L20 or L21 or L22 or L24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L26	0	(asakura and katakabe and fujimoto and imaj and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L27	0	(asakura and katakabe and fujimoto and imal and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L28	4	(asakura and katakabe and fujimoto and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04

L29	1	L25 and L28	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L30	280	L23 and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L31	280	L23 and L24 and L25	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L32	95	L31 and 219/619.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L33	49	L32 and (rotate or revolve or rotateable) and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L34	1	L33 and "flux reduction"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L35	4	L31 and "flux reduction"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L36	7	"09" with "171889"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L37	6	L32 and (rotate or revolve or rotateable) with core and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L38	0	L32 and (rotate or revolve or rotateable) with core with (recess or groove)and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L39	2	"6102281".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L40	26410	219/216-469.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L41	259	100/92-301.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L42	2	"5822669".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L43	49	("5074019"   "5526103"   "5552582"   "5568240").PN. OR ("5822669").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/07 08:04

L44	17224	magnetic with flux with (reduction or varying or control or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L45	280	magnetic with flux with (reduction or varying or control or controller) and image with (heat or heating or heater)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L46	26946	L40 or L41 or L42 or L43 or L45	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L47	0	(asakura and katakabe and fujimoto and imaj and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L48	0	(asakura and katakabe and fujimoto and imal and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L49	4	(asakura and katakabe and fujimoto and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L50	1	L46 and L49	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L51	280	L44 and L45	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L52	280	L44 and L45 and L46	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L53	95	L52 and 219/619.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L54	49	L53 and (rotate or revolve or rotateable) and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L55	1	L54 and "flux reduction"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L56	4	L52 and "flux reduction"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L57	7	"09" with "171889"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L58	26410	219/216-469.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04

L59	259	100/92-301.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L60	2	"5822669".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L61	49	("5074019"   "5526103"   "5552582"   "5568240").PN. OR ("5822669").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/07 08:04
L62	17224	magnetic with flux with (reduction or varying or control or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L63	280	magnetic with flux with (reduction or varying or control or controller) and image with (heat or heating or heater)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L64	26946	L58 or L59 or L60 or L61 or L63	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L65	0	(asakura and katakabe and fujimoto and imaj and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L66	0	(asakura and katakabe and fujimoto and imal and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L67	4	(asakura and katakabe and fujimoto and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L68	1	L64 and L67	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L69	280	L62 and L63	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L70	280	L62 and L63 and L64	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L71	95	L70 and 219/619.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L72	49	L71 and (rotate or revolve or rotateable) and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L73	1	L72 and "flux reduction"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04

L74	4	L70 and "flux reduction"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L75	7	"09" with "171889"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L76	6	L71 and (rotate or revolve or rotateable) with core and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L77	0	L71 and (rotate or revolve or rotateable) with core with (recess or groove)and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L78	2	"6102281".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L79	2	"6380295".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:04
L80	101	("20060155018"   "20070072980"   "3576388"   "4255318"   "4391637"   "4402881"   "4472538"   "4474706"   "4517112"   "4546126"   "4558075"   "4582866"   "4664820"   "4695402"   "4708975"   "4739007"   "4777206"   "4826899"   "4866018"   "4874728"   "5017637"   "5091462"   "5132350"   "5164460"   "5236985"   "5429999"   "5554670"   "5773502"   "5780376"   "5827906"   "6034163"   "6084008"   "6130256"   "6139962"   "6380295"   "6414070"   "6451895"   "6492453"   "6583209"   "6605655"   "6610770"   "6632868"   "6649713"   "6683122"   "6759464"   "6794437"   "6822035").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:14

L81	27	("4391637"   "4410364"   "4412018"   "4434075"   "4434076"   "5747560"   "6380295"   "6610770"   "6750282").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:14
L82	26761	1 or 2 or 80	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:15
L83	26779	1 or 2 or 80 or 81	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:15
L84	6	83 and (metzemacher and seeling).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:16
L85	2	84 and carbon.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:20
L86	43	83 and intercalated	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:21
L87	6	83 and (intercalated or interpolated or interpolate or insert or inserted) with phyllosilicate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:23
L88	3	83 and (intercalated or interpolated or interpolate or insert or inserted) with phyllosilicate and aliphatic	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:23
L89	52	"524"/\$.ccls. and (intercalated or interpolated or interpolate or insert or inserted) with phyllosilicate and aliphatic	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:27
L90	25	"524"/\$.ccls. and (intercalated or interpolated or interpolate or insert or inserted) with phyllosilicate and aliphatic and carbon. clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:28

L91	7	"524"/\$.ccls. and (intercalated or interpolated or interpolate or insert or inserted) with phyllosilicate and aliphatic and ( radical with carbon).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:28
L92	2	"524"/\$.ccls. and (intercalated or interpolated or interpolate or insert or inserted) with phyllosilicate and aliphatic and ( radical with siloxane with carbon).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/07/07 08:29

7/ 7/ 2008 8:49:12 AM

C:\ Documents and Settings\ drobinson3\ My Documents\ EAST\ Workspaces\ 10541498 219 619.wsp